

FUJI GRAPHITE REEL SEATS



Stock No.	Model	Hood Finish	I.D.		Length	Price
			In.	mm.		
230103	DPSM16	Stainless	.625	15.5	4-1/8"	5.39
230104	DPSM16G	Gold	.625	15.5	4-1/8"	7.15
230105	DPSM17	Stainless	.670	17	4-3/4"	5.69
230106	DPSM17G	Gold	.670	17	4-3/4"	7.67
230107	DPSM18	Stainless	.703	18	5"	5.97
230108	DPSM18G	Gold	.703	18	5"	7.81
230109	DPSM20	Stainless	.781	20	5"	6.85
230110	DPSM20G	Gold	.781	20	5"	8.39
230111	DPSM22	Stainless	.859	22	5"	6.85
230112	DPSM24	Stainless	.938	24	5-1/2"	7.43

FUJI GRAPHITE REEL SEATS



Removable Rubber Plug. Can be used as uplock or downlock.

Stock No.	Model	Hood Finish	I.D.		Length	Price
			In.	mm.		
230127	FDPSM16	Stainless	.625	15.5	4-1/8"	6.49

GRAPHITE ARBORS FOR REEL SEATS

All are 1" long.

Stock No.	Model	O.D.		I.D.		Price (ea.)
		In.	mm.	In.	mm.	
230191	A16	.59	15	.24	6	.57
230192	A17	.67	17	.28	7	.57
230193	A18	.70	17.7	.28	7	.57
230194	A20	.76	19.3	.39	10	.68
230195	A22	.83	21	.39	10	.68

CORK FLY ROD GRIPS



234240



234241

Fly Grips have a hood recess

Stock No.	Length	I.D.-In.	Price
234240	7	.30	14.90
234241	7.5	.20	14.90

EVA FOAM GRIPS

EVA foam grips are light weight and extremely durable. They provide a firm, yet comfortable gripping surface. EVA foam grips may be shaped by using coarse sand paper. Grips will fit rod butts up to approximately 25% larger than the I.D. of the grip. All EVA grips are Black Color.

EVA SHAPED BUTT GRIPS & FORE GRIPS



FORE GRIPS					
Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price	
234244	2	.30	1.13	1.29	
234245	2-1/2	.35	1.13	1.29	
234246	3	.35	1.13	1.29	
234247	4-1/2	.30	1.13	1.29	

REAR GRIPS					
Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price	
234251	6	.35	1.13	1.49	
234253	8	.38	1.13	1.89	
234254	10	.45	1.13	1.99	

Use Butt Cap BC10 with 6" Rear Grips.
Use Butt Cap BC20 with 8" & 10" Rear Grips.

FUJI GRAPHITE TRIGGER REEL SEATS



Stock No.	Model	Hood Finish	I.D.		Length	Price
			In.	mm.		
230117	DTPSM16	Stainless	.625	15.5	4-1/8"	5.13
230118	DTPSM18	Stainless	.703	18	5"	5.52

FUJI BLANK EXPOSED TRIGGER REEL SEAT



Stock No.	Inside Dia.		Price
	In.	mm.	
230130	9.5	.374	4.49
230131	10.0	.394	4.49
230132	10.5	.413	4.49
230133	11.0	.433	4.49
230134	11.5	.453	4.49
230135	12.0	.472	4.49
230136	12.5	.492	4.49
230137	13.0	.512	4.49
230138	13.5	.532	4.49
230139	14.0	.551	4.49
230140	14.5	.571	4.49
230141	15.0	.591	4.49

CORK GRIPS



FORE GRIPS

Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price
234258	2	.30	1.13	2.99
234259	2-1/2	.36	1.13	3.19
234260	3	.40	1.13	3.39

REAR GRIPS

Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price
234264	7	.38	1.13	7.99
234265	9	.44	1.13	9.99
234266	11	.50	1.13	11.99

Use BC20 Butt Cap with Cork Reak Grips.

CORK PISTOL GRIP



Stock No.	Length-In.	O.D.-In.	Price
234269	4.75	.38	11.79

BUTT CAPS

Butt Caps are made of durable, flexible rubber/vinyl compound. They have a textured outer surface and ribbed inner wall where needed for firmer bonding. Fits the butt end of rear grips to cushion and protect the rod.



Stock No.	Cup No.	I.D.-In.	Price
234271	BC10	.68	.89
234272	BC20	.75	.89

CORK CASTING HANDLE KITS



Kit includes Butt Grip, Fore Grip, Reel Seat, and Butt Cap.

Stock No.	Overall Length-In.	Butt Grip I.D.-In.	Price
234274	13.75	.38	16.87
234275	16.25	.44	18.94
234276	18.25	.50	20.66

Butt Grip Length: 7", 9" and 11"
Reel Seat I.D. on all Kits is .60"

CORK SPINNING HANDLE KITS



Kit includes Butt Grip, Fore Grip, Reel Seat, and Butt Cap.

Stock No.	Overall Length-In.	Butt Grip I.D.-In.	Price
234279	10.50	.35	13.99
234280	13.50	.38	16.83
234281	17.0	.44	19.21
234282	19.0	.50	22.46

Butt Grip Length: 4.5", 7", 9" and 11"
Reel Seat I.D.: .60, .60, .72, and .72

CORK PISTOL GRIP HANDLE KIT



Kit includes Butt Grip, Fore Grip, and Trigger Reel Seat.

Stock No.	Overall Length-In.	Butt Grip I.D.-In.	Price
234287	11.5	.38	19.73

Reel Seat I.D. is .60"

CORK UL HANDLE KIT




Graphite Slip Rings

Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price
234289	8	.25	1.13	11.52

Cork Only - Stock No. 2342909.93
Ring Only - Stock No. 2342911.99/pr.

BUTT PLUGS



For use with Graphite or Nylon Reel Seats, Black.

Stock No.	Size	Ea.
230196	16	.59
230197	18	.59

Visit our Web Site
for new Products.
www.barlowstackle.com

FUJI GNSG GUIDES

Casting Guide
Silicon Carbide Ring
Gold Frame
Matching Top Style: GPST

Stock No.	Size (mm)	Ea.	10
202301	8	5.15	43.80
202302	10	5.61	47.67
202303	12	6.67	56.72
202304	16	8.49	72.22



FUJI NSG GUIDES

Casting Guide
Silicon Carbide Ring
Gunsmoke Frame
Matching Top Style: PST, LST

Stock No.	Size (mm)	Ea.	10
202200	8	4.54	38.63
202201	10	5.09	43.28
202202	12	6.00	51.03
202203	16	7.58	64.47
202204	20	9.50	80.75



FUJI GSVLG GUIDES

Casting or Spinning Guide
Hardloy Ring
Gold Frame
Matching Top Style: GPLT

Stock No.	Size (mm)	Ea.	10
202263	6	1.45	12.28
202264	8	1.56	13.18
202265	10	1.75	14.86
202266	12	2.12	17.96
202267	16	2.73	23.13
202268	20	3.29	27.91
202269	25	3.99	33.92
202270	30	5.31	45.10



FUJI BLVLG GUIDES

Spinning Guide
Hardloy Ring
Black, Single Foot Frame
Matching Top Style: BPLT

Stock No.	Size (mm)	Ea.	10
202209	7	.99	8.40
202210	8	1.01	8.53
202211	10	1.10	9.31
202212	12	1.21	10.23
202213	16	1.43	12.15
202214	20	1.84	15.64
202215	25	2.42	20.55
202216	30	3.18	27.01



FUJI BSVOG GUIDES

Spinning or Casting Guide
Aluminum Oxide Ring
Black, Double Foot Frame
Matching Top Style: BPOT

Stock No.	Size (mm)	Ea.	10
202351	7	.71	6.07
202352	8	.79	6.79
202353	10	.88	7.51
202354	12	.96	8.23
202355	16	1.46	12.46
202356	20	2.10	17.91
202357	25	2.65	22.54
202358	30	3.55	30.20



FUJI GLVSG GUIDES

Spinning Guide
Silicon Carbide Ring
Gold Frame
Matching Top Style: GPST

Stock No.	Size (mm)	Ea.	10
202360	8	5.25	44.57
202361	10	5.91	50.26
202362	12	6.67	56.71
202363	16	8.34	70.93
202364	20	10.26	87.21
202365	25	12.45	105.81
202366	30	16.40	139.40



FUJI LVSG GUIDES

Spinning Guide
Silicon Carbide Ring
Gunsmoke Frame
Matching Top Style: PST, LST

Stock No.	Size (mm)	Ea.	10
202340	8	4.85	41.21
202341	10	5.39	45.86
202342	12	6.15	52.32
202343	16	7.43	63.17
202344	20	9.25	78.68
202345	25	11.08	94.18
202346	30	14.82	125.97



FUJI GNLG GUIDES

Casting Guide
Hardloy Ring
Gold Frame
Matching Top Style: GPLT

Stock No.	Size (mm)	Ea.	10
202245	6	1.20	10.20
202246	8	1.25	10.59
202247	10	1.40	11.88
202248	12	1.98	16.79
202249	16	2.57	21.83
202250	20	3.59	30.49



FUJI BSVLG GUIDES

Casting or Spinning Guide
Hardloy Ring
Black Frame
Matching Top Style: BPLT

Stock No.	Size (mm)	Ea.	10
202220	8	1.11	9.43
202221	10	1.17	9.94
202222	12	1.36	11.49
202223	16	1.69	14.34
202224	20	2.15	18.21
202225	25	2.72	23.16
202226	30	3.65	31.00
202227	40	5.70	48.45



FUJI BLVOG GUIDES

Spinning Guide
Aluminum Oxide Rings
Black, Single Foot Frame
Matching Top Style: BPOT

Stock No.	Size (mm)	Ea.	10
202275	7	.68	5.78
202276	8	.75	6.36
202277	10	.85	7.23
202278	12	.91	7.66
202279	16	1.08	9.11
202280	20	1.51	12.87
202281	25	1.91	16.19
202282	30	2.64	22.40



FUJI GPST TOPS

Silicon Carbide Ring
Gold Frame
Ring Size: 8

Stock No.	Size (mm)	64th	Ea.	10
202315	1.6	4.0	8.04	68.34
202316	1.8	4.5	8.04	68.34
202317	2.0	5.0	8.04	68.34
202318	2.2	5.5	8.04	68.34
202319	2.4	6.0	8.04	68.34
202320	2.6	6.5	8.04	68.34
202321	2.8	7.0	8.04	68.34
202322	3.2	8.0	8.04	68.34



FUJI PST TOPS

Silicon Carbide Ring
Gunsmoke Frame
Ring Size: 8

Stock No.	Size (mm)	64th	Ea.	10
202185	1.6	4.0	6.22	52.84
202186	1.8	4.5	6.22	52.84
202187	2.0	5.0	6.22	52.84
202188	2.2	5.5	6.22	52.84
202189	2.4	6.0	6.22	52.84
202190	2.6	6.5	6.22	52.84
202191	2.8	7.0	6.37	54.13
202192	3.2	8.0	6.37	54.13



FUJI GPLT TOPS

Hardloy Ring
Gold Frame
Ring Size: 8

Stock No.	Size (mm)	64th	Ea.	10
202253	2.0	5.0	2.12	17.95
202254	2.2	5.5	2.12	17.95
202255	2.4	6.0	2.12	17.95
202256	2.6	6.5	2.12	17.95
202257	2.8	7.0	2.21	18.73
202258	3.0	7.5	2.21	18.73
202259	3.2	8.0	2.21	18.73



FUJI BPLT TOPS

Hardloy Ring, Black Frame
Ring Size - Tip 5-10: 8
Tip 11-14: 12

Stock No.	Size (mm)	64th	Ea.	10
202230	2.0	5.0	1.42	12.02
202231	2.2	5.5	1.42	12.02
202232	2.4	6.0	1.42	12.02
202233	2.6	6.5	1.46	12.40
202234	2.8	7.0	1.52	12.92
202235	3.2	8.0	1.52	12.92
202236	3.6	9.0	1.80	15.25
202237	4.0	10.0	2.01	17.05
202238	4.5	11.0	2.66	22.61
202239	5.0	12.5	2.74	23.25
202240	5.5	14.0	2.99	25.45



FUJI BPOT TOPS

Aluminum Oxide Ring
Black Frame
Ring Size: 8

Stock No.	Size (mm)	64th	Ea.	10
202286	2.0	5.0	1.11	9.39
202287	2.2	5.5	1.11	9.39
202288	2.4	6.0	1.11	9.39
202289	2.6	6.5	1.11	9.39
202290	2.8	7.0	1.11	9.39
202291	3.2	8.0	1.11	9.39



WARNING: Some products on this page may contain lead, a chemical known to the State of California to cause cancer and birth defects and other reproductive harm.

FUJI BNLG GUIDES

Casting Guide
Hardloy Ring
Black Frame
Matching Top Style: BPLT



Stock No.	Size (mm)	Ea.	10
202326	6	.78	6.63
202327	8	.79	6.72
202328	10	.99	8.40
202329	12	1.25	10.59
202330	16	1.54	13.05
202331	20	2.20	18.73

FUJI BYLG GUIDES

Spinning Guides
Hardloy Ring
"V" Frame
Black Frame
Matching Top - BPLT



Stock No.	Size (mm)	Ea.	10
202367	8	1.08	9.81
202368	10	1.16	10.44
202369	12	1.31	11.79
202370	16	1.52	13.68
202371	20	1.92	17.28
202372	25	2.64	23.76
202373	30	3.77	33.93

FUJI BLG FLY GUIDES

Fly Rod Guide
Hardloy Ring
Black Frame
Matching Top Style: BFT



Stock No.	Size (mm)	Ea.	10
202132	6	1.66	14.15
202133	7	1.66	14.15
202134	8	1.66	14.15
202135	10	1.66	14.15

HARD CHROME PLATED SNAKE GUIDES

Stainless Steel with hard Chrome Plating.



Stock No.	Size	I.D. (mm)	Ea.	10
201140	1/0	4.8	.44	3.72
201141	1	5.1	.44	3.72
201142	2	5.7	.44	3.72
201143	3	6.3	.44	3.72
201144	4	7.0	.44	3.72

SINGLE FOOT FLY ROD GUIDES

Stainless steel with hard chrome plating.



Stock No.	Size	I.D. (mm)	Ea.	10
201212	1/0	4.3	.69	6.21
201213	1	4.9	.69	6.21
201214	2	5.6	.69	6.21
201215	3	6.3	.69	6.21
201216	4	6.7	.69	6.21
201217	5	7.5	.69	6.21

WARNING: Some products on this page may contain lead, a chemical known to the State of California to cause cancer and birth defects and other reproductive harm.

FUJI SVSG GUIDES

Casting/Spinning Guides
Silicon Carbide Ring
"V" Frame
Gunsmoke Frame
Matching Top - PST



Stock No.	Size (mm)	Ea.	10
202385	8	4.94	41.99
202386	10	5.46	46.38
202387	12	6.22	52.84
202388	16	7.74	65.76
202389	20	9.56	81.27
202390	25	11.78	100.13
202391	30	15.34	130.36
202392	40	22.27	189.28

FUJI BMLT TOPS

Fly Rod Tops
Hardloy Ring
Black Frame



Stock No.	Size		Ea.	10
	(mm)	64th		
202138	1.6	4.0	2.09	17.71
202139	1.8	4.5	2.09	17.71
202140	2.0	5.0	2.09	17.71
202141	2.2	5.5	2.09	17.71
202142	2.4	6.0	2.09	17.71

FUJI FOLDING HOOK KEEPER



Available in (01) Black or (20) Chrome
Stock No. 2250083.99

HARD CHROME PLATED FLY ROD TOPS

Hard Chrome Plated
Stainless Steel loop.



Stock No.	Size		Ea.	10
	(mm)	64th		
201158	1.4	3.5	1.01	8.54
201159	1.6	4.0	1.01	8.54
201160	1.8	4.5	1.01	8.54
201161	2.0	5.0	1.01	8.54
201162	2.2	5.5	1.01	8.54
201163	2.4	6.0	1.01	8.54
201164	2.6	6.5	1.01	8.54

OVERSIZE LOOP FLY ROD TOP

Oversize steel oversize loop, hard chrome plated.



Stock No.	Size		Ea.	10
	(mm)	64th		
201232	1.6	4.0	1.06	8.94
201233	1.8	4.5	1.06	8.94
201234	2.0	5.0	1.06	8.94
201235	2.2	5.5	1.06	8.94
201236	2.4	6.0	1.06	8.94

FUJI GLVLG GUIDES

Casting/Spinning Guides
Hardloy Ring
"V" Frame
Gold Frame
Matching Top - GPLT



Stock No.	Size (mm)	Ea.	10
202376	8	1.49	13.41
202377	10	1.63	14.72
202378	12	1.89	17.05
202379	16	2.28	20.55
202380	20	2.83	25.51
202381	25	3.48	31.34
202382	30	4.60	41.40

FUJI TOPS WITH SIZE 6 RINGS

LST Top
Use with NSG or LVSG Guides



Stock No.	Size (64th)	Ea.	10
202395	4.5	4.94	41.99
202396	5.0	4.94	41.99
202397	5.5	4.94	41.99
202398	6.0	4.94	41.99

BPLT Top

Use with any Guide that specifies BPLT Top.

Stock No.	Size (64th)	Ea.	10
202401	4.5	1.42	12.02
202402	5.0	1.42	12.02
202403	5.5	1.42	12.02
202404	6.0	1.42	12.02

HOOK KEEPERS



Stainless Steel, available in (01) Black, (20) Stainless, (23) Gold.
Please specify Color No. on order.
Stock No. 22501345 ea.
3.99/10

WIRE FRAME SPINNING GUIDE

Size 10 through 20 are regular Spinning Guides.
Sizes 25 through 70 are the same except center braced.



WCSR

WCS

Stainless steel, all welded construction, hard chrome plate.

Stock No.	Description	Size	Ea.	10
201127	WCS 10	10	.86	7.30
201128	WCS 12	12	.89	7.58
201130	WCS 16	16	1.22	10.37
201131	WCS 20	20	1.29	10.75
201132	WCSR 25	25	1.34	11.42
201133	WCSR 30	30	1.91	16.23
201134	WCSR 40	40	3.27	27.75
201135	WCSR 50	50	3.50	29.78
201137	WCSR 70	70	4.95	42.07

GUDEBROD THREAD



METALLIC THREAD

TRIMAR THREAD

GROUP A COLORS

- | | |
|-----------------|------------------|
| 001 Black | 411 Hot Pink |
| 002 White | 468 Purple |
| 011 Gun Metal | 541 Brown |
| 037 Light Blue | 778 Lemon Yellow |
| 200 Sunburst | 779 Medium Green |
| 206 Garnet | 896 Dark Green |
| 209 Goldenrod | |
| 221 Orange | |
| 245 Royal Blue | |
| 257 Rust | |
| 272 Blue Dun | |
| 274 Chestnut | |
| 290 Tan | |
| 326 Scarlet Red | |
| 335 Candy Apple | |
| 337 Maroon | |
| 340 Gold | |
| 396 Dark Brown | |
| | 50 Cobalt Blue |
| | 51 Peach |
| | 52 Rose Pink |
| | 66 Navy |
| | 105 Spring Green |
| | 246 Dark Blue |
| | 441 Charcoal |
| | 638 Teal |
| | 720 Medium Grey |

GROUP B COLORS

GUDEBROD METALLIC THREAD

Metallic Thread consists of a high sheen aluminized film wound over a nylon core for strength. The brilliance of this thread will give the ultimate luster and sparkle to the custom rod.

Metallic Thread Colors

- | | |
|----------------|----------------|
| 005 Pewter | 337 Dusty Rose |
| 037 Ice Blue | 358 Green |
| 060 Rainbow | 396 Copper |
| 105 Lime | 468 Purple |
| 206 Fuschia | 541 Bronze |
| 245 Royal Blue | 900 Gold |
| 252 Aquamarine | 901 Black |
| 270 Aqua | 902 Silver |
| 326 Red | 903 Pearl |

Metallic Thread Size A 100 yd. Spool

Stock No. 2501292.79


Please Specify Stock No. & Color No. on order.

GUDEBROD THREAD SIZES

	Dia. (In.)	Dia. (mm)	Approx Break Strength (Lb.)
Size A	.0070	.175	2.8
Size D	.0104	.260	6.0
Trimar	.0104	.260	6.0

WARNING: Some products on this page may contain lead, a chemical known to the State of California to cause cancer and birth defects and other reproductive harm.

GUDEBROD THREAD



Size A - 100 yd. Spool

Group A Colors . . Stock No. 2501251.99

Group B Colors . . Stock No. 2501251.99

Size D - 100 yd. Spool

Group A Colors . . Stock No. 2501261.99

Group B Colors . . Stock No. 2501261.99

Size A - 950 yd. Spool

Group A Colors . . Stock No. 2501044.39

Size D - 450 yd. Spool

Group A Colors . . Stock No. 2501054.39

Please Specify Stock No. & Color No. on order.

GUDEBROD TRIMAR THREAD

A unique thread blending Gudebrod NCP thread with mylar metallic strands. The thread and mylar are twisted together giving a spiral effect. Size C - 100 yd. spools.


Trimar Colors

- | | |
|-----------------|---------------|
| 60 Black/Silver | 66 Black/Gold |
| 61 Blue/Silver | 67 Blue/Gold |
| 62 Green/Silver | 68 Green/Gold |
| 63 Red/Silver | 69 Red/Gold |
| 64 Brown/Silver | 70 Brown/Gold |
| 65 White/Silver | 71 White/Gold |

Stock No. 2501281.99

Please Specify Stock No. & Color No. on order.

WOOD INSERTS FOR STRUBLE REEL SEATS



Woods Available:

- | | |
|-----------------|----------------------|
| 10 Walnut | 70 Rose |
| 20 Bubinga | 80 Teak |
| 30 Imbuva | 90 Zebra |
| 40 Vermillion | 92 Fiddleblack Maple |
| 50 Cocobolo | 93 Myrtle |
| 60 Goncaloalves | 95 Vera |

Insert for Series 3 Reel Seats . . . Stock No. 2342079.00

Order by Stock No. and Wood No.

Check our Web Site (www.tackle-express.com)

For pictures of Struble Wood inserts.

GUDEBROD N.C.P. THREAD

A special thread that requires no color preserver (NCP) before applying varnish to windings.

N.C.P. Size A - 950 yd. Spool

Group A Colors . . Stock No. 2501154.99
Colors 011 & 340 not available in N.C.P.

N.C.P. Size D - 300 Yd. Spool

Group A Colors . . Stock No. 2501164.99

Please Specify Stock No. & Color No. on order.

WHITE CHINA MARKER



This handy marker is the ideal tool for marking blank spins and guide spacing. Wipes off quickly and easily after use.

Stock No. 2250821.79

CORK RING CLAMP



Designed to compress cork rings together until the glue dries. Eliminates gaps between cork rings for a smooth, professional handle.

Stock 22508424.95

EXTRA FINE LETTERING PEN



Information such as builder, owner and blank specifications adds value to any fishing rod. This lettering pen provides a striking method of writing on a rod blank. For use with water-based inks and metallic enamel paints.

Stock No. 2250833.79

STRUBLE D-3 STANDARD DOWNLOCK SKELETON REEL SEAT



Illustration shows complete Reel Seat. Downlock reel seat with "V" threaded body and milled slot. Diamond knurled lock nut and machined slip ring. Supplied with nickel-silver retainer with aluminum end cap and transition ring which fits between the body and the cork handle. Available in polished aluminum, clear aluminum, or black anodized aluminum. Order wood insert separately from Server #3 inserts.

D-3 Polished Aluminum . . . Stock No. 23420310.95

D-3 Black Aluminum . . . Stock No. 23420414.95

STRUBLE U-3 STANDARD UPLOCK SKELETON REEL SEAT



Illustration shows complete Reel Seat. Uplock Reel Seat with "V" threaded body with milled slot. Diamond knurled lock nut and machined slip ring. Supplied with nickel-silver retainer, separate butt plug, and precision cut cork ring to fit over retainer, available in polished aluminum, clear aluminum or black anodized aluminum. Order wood insert separately from series #3 inserts.


U-3 Polished Aluminum . . . Stock No. 23419810.95

U-3 Black Aluminum . . . Stock No. 23419914.95

Fighting Butt for U-3 . . . Stock No. 23420015.95

Extra Cork Ring for Hood . . . Stock No. 2341892.25

FLEX COAT PRODUCTS



The flex coat finishing system, with 2 different formulas, offers you the right choice for your particular needs . . . From heavy big game tackle to ultra light fly rods. The result . . . the finest in a quality professional finish!

- Original **HIGH BUILD** Formula for finishing with just one coat.
- New **LITE** formula for an ultra-thin finish in multiple coats.


ORIGINAL HIGH BUILD FORMULA

- Loaded Syringes (24cc), Brushes, Cups, Sticks
Stock No. 2250548.87
- 2 oz. Flex Coat, Syringes, Brushes, Cups, Sticks
Stock No. 22502111.86
- 2 oz. Flex Coat, Syringes
Stock No. 2250208.87
- 4 oz. Flex Coat . . . Stock No. 22505511.86
- 8 oz. Flex Coat . . . Stock No. 22503317.25
- 32 oz. Flex Coat . . . Stock No. 22505638.16

FLEX COAT LITE FORMULA

- Loaded Syringes (24cc), Bruxhes, Cups, Sticks
Stock No. 2250609.45
- 2 oz. Flex Coat, Syringes
Stock No. 2250619.45
- 8 oz. Flex Coat . . . Stock No. 22506218.75
- 32 oz. Flex Coat . . . Stock No. 22506342.59

FLEX COAT ROD BUILDERS EPOXY GLUE



This is a professional, high strength, water proof clear bonding material. Perfect for gluing reel seats, ferrules, gembles, handles, grips, roller tip tops, cork rings, butt caps, and general repair. Instructions included.

- 4 oz. Epoxy Glue . . . Stock No. 22503410.40
- 8 oz. Epoxy Glue . . . Stock No. 22507616.63
- 32 oz. Epoxy Glue . . . Stock No. 22507745.46


FLEX COAT THERMAL PLASTIC TIP TOP ADHESIVE



This adhesive is ideal for installing the tip tops on blanks.

- Stock No. 2250652.49

FLEX COAT GUIDE FOOT ADHESIVE



Adhesive — For temporary attachment of guides before wrapping. Low melting point, fast, easy to use.

- Stock No. 2250662.49

FLEX COAT EPOXY BRUSH CLEANER



Safer and milder than low flash point solvents for cleaning liquid Flex Coat from brushes. 4 oz. bottle.

- Stock No. 2250284.49

FLEX COAT COLOR PRESERVER AND THREAD SEALER



Strong • Non Yellowing • Great Color Retention • Great Penetration • Easy To Use • Water Clean Up • No Strong Order * Non Toxic

Apply 2 or 3 coats on regular thread. Apply 1 coat on N.C.P. thread if sealer is desired.

- 1 oz. Color Preserver . . . Stock No. 2250222.58
- 4 oz. Color Preserver . . . Stock No. 2250236.25

FLEX COAT 5-MINUTE EPOXY GLUE



A clear, high strength formula for rod builders, fly tiers and lure makers. Bonds reel seats, grips, tip tops, etc. Mixture has a pot life of about 5 minutes and dries to touch in 10-15 minutes.

- 4 oz. 5 Minute Epoxy Glue
Stock No. 22504312.24

FLEX COAT UTILITY KNIFE



Indispensable for trimming thread tie-offs. Useful in removing damaged guides in rod repair. Comes with 6 surgically sharp steel blades, and safety cover. Deeply knurled grip for precision and safety.

- Knife with 6 blades . . . Stock No. 2250695.25
- Extra Blades (5) . . . Stock No. 2250702.69

FLEX COAT STEP BY STEP ROD BUILDING



This is a 50 page booklet containing over 100 clear illustrations, charts and size guides plus step-by-step instructions on all phases of rod constructions. Great for both beginners and experienced rod builders.

- Stock No. 2250794.95

NON SHEDDING BRUSHES



Very low cost quality rod finishing brushes — great for applying Flex Coat Rod Finish and Color Preserver.

- Stock No. 2250243.75/10 pk.
- Pack 85 Brushes
Stock No. 22507121.95

COLOR CODED SYRINGES



Reusable 3cc syringes guarantee accurate measurement of Flex Coat 50/50 mix.

- Stock No. 2250271.85

DECORATIVE ROD WRAPPING GUIDE



A must for all rod builders whether beginning or advanced. This is an easy to follow step by step instruction with complete diagrams showing how to wrap a variety of designs.

- | | |
|---------------|-------------|
| Book I | Book II |
| Fish | Tuna |
| Boxes | Cross |
| American Flag | Maze |
| Diamonds | Thunderbird |

- Book I . . . Stock No. 2250364.95
- Book II . . . Stock No. 2250374.95

WARNING: Some products on this page may contain lead, a chemical known to the State of California to cause cancer and birth defects and other reproductive harm.

ALCOHOL BURNER



Best heat source for tiptop installation and repair. Leaves both hands free to work while handling rod, tiptop, and adhesive. Fueled by clean burning, readily available denatured alcohol.

- Stock No. 22506714.99

MIXING CUPS & STICKS



Clear 1 oz. plastic cups and mixing sticks make a handy accessory to Flex Coat Finish and Epoxy Glue.

- Pack 10 cups.
Stock No. 2250161.57
- Pack 100 Cups
Stock No. 2250732.97

1/2" BRUSHES



Economy Florida style brushes for applying Flex Coat Rod Finish and Color Preserver to large rods.

- Stock No. 2250813.79/4 pk.



FLEX COAT HAND ROD WRAPPER

This extendable rod wrapper can be used for all lengths of rods. Has controlled thread tension and adjustable thread feed.

- HW1 . . . Stock No. 22503064.95



FLEX COAT ECONOMY HAND ROD WRAPPER

Designed to do precision wrappings. Has controlled thread tension and adjustable V upright.

- EW1 . . . Stock No. 22504539.95



High quality, U.S.-built gear motors for rotating rod while applying and curing FLEX COAT finish. Both models feature self-adjusting chuck.

- 6 rpm model for applying finish to rods with underwraps
- 18 rpm is good for general use

FLEX COAT FINISHING MOTORS

- GM6 (6 rpm)
Stock No. 22503172.95
- GM18 (18rpm)
Stock No. 22505372.95