

FUJI GNSG GUIDES

Casting Guide, Silicon Carbide Ring, Gold Frame Matching Top Style: GPST

Stock No.	Size (mm)	Ea.	10
202301	8	5.15	43.80
202302	10	5.61	47.67
202303	12	6.67	56.72
202304	16	8.49	72.22

FUJI NSG GUIDES

Casting Guide, Silicon Carbide Ring, Gunsmoke Frame, Matching Top Style: PST, LST

Stock No.	Size (mm)	Ea.	10
202200	8	4.54	38.63
202201	10	5.09	43.28
202202	12	6.00	51.03
202203	16	7.58	64.47
202204	20	9.50	80.75

FUJI GSVLG GUIDES

Casting or Spinning Guide, Hardloy Ring, Gold Frame, Matching Top Style: GPLT

Stock No.	Size (mm)	Ea.	10
202263	6	1.45	12.28
202264	8	1.56	13.18
202265	10	1.75	14.86
202266	12	2.12	17.96
202267	16	2.73	23.13
202268	20	3.29	27.91
202269	25	3.99	33.92
202270	30	5.31	45.10

FUJI BLVLG GUIDES

Spinning Guide, Hardloy Ring, Black, Single Foot Frame, Matching Top Style: BPLT

Stock No.	Size (mm)	Ea.	10
202209	7	.99	8.40
202210	8	1.01	8.53
202211	10	1.10	9.31
202212	12	1.21	10.23
202213	16	1.43	12.15
202214	20	1.84	15.64
202215	25	2.42	20.55
202216	30	3.18	27.01

FUJI BSVOG GUIDES

Spinning or Casting Guide, Aluminum Oxide Ring, Black, Double Foot Frame, Matching Top Style: BPOT

Stock No.	Size (mm)	Ea.	10
202351	7	.71	6.07
202352	8	.79	6.79
202353	10	.88	7.51
202354	12	.96	8.23
202355	16	1.46	12.46
202356	20	2.10	17.91
202357	25	2.65	22.54
202358	30	3.55	30.20

FUJI SVSG GUIDES

Casting/Spinning Guides, Silicon Carbide Ring, "V" Frame, Gunsmoke Frame, Matching Top - PST

Stock No.	Size (mm)	Ea.	10
202385	8	4.94	41.99
202386	10	5.46	46.38
202387	12	6.22	52.84
202388	16	7.74	65.76
202389	20	9.56	81.27
202390	25	11.78	100.13
202391	30	15.34	130.36
202392	40	22.27	189.28

FUJI BMLT TOPS

Fly Rod Tops Hardloy Ring Black Frame

Stock No.	Size		Ea.	10
	(mm)	64th		
202138	1.6	4.0	2.09	17.71
202139	1.8	4.5	2.09	17.71
202140	2.0	5.0	2.09	17.71
202141	2.2	5.5	2.09	17.71
202142	2.4	6.0	2.09	17.71

WARNING: Some products on this page may contain lead, a chemical known to the State of California to cause cancer and birth defects and other reproductive harm.

FUJI GLVSG GUIDES

Spinning Guide, Silicon Carbide Ring, Gold Frame, Matching Top Style: GPST

Stock No.	Size (mm)	Ea.	10
202360	8	5.25	44.57
202361	10	5.91	50.26
202362	12	6.67	56.71
202363	16	8.34	70.93
202364	20	10.26	87.21
202365	25	12.45	105.81
202366	30	16.40	139.40

FUJI LVSG GUIDES

Spinning Guide, Silicon Carbide Ring, Gunsmoke Frame, Matching Top Style: PST, LST

Stock No.	Size (mm)	Ea.	10
202340	8	4.85	41.21
202341	10	5.39	45.86
202342	12	6.15	52.32
202343	16	7.43	63.17
202344	20	9.25	78.68
202345	25	11.08	94.18
202346	30	14.82	125.97

FUJI GNLG GUIDES

Casting Guide, Hardloy Ring, Gold Frame, Matching Top Style: GPLT

Stock No.	Size (mm)	Ea.	10
202245	6	1.20	10.20
202246	8	1.25	10.59
202247	10	1.40	11.88
202248	12	1.98	16.79
202249	16	2.57	21.83
202250	20	3.59	30.49

FUJI BSVLG GUIDES

Casting or Spinning Guide, Hardloy Ring, Black Frame, Matching Top Style: BPLT

Stock No.	Size (mm)	Ea.	10
202220	8	1.11	9.43
202221	10	1.17	9.94
202222	12	1.36	11.49
202223	16	1.69	14.34
202224	20	2.15	18.21
202225	25	2.72	23.16
202226	30	3.65	31.00
202227	40	5.70	48.45

FUJI BLVVG GUIDES

Spinning Guide, Aluminum Oxide Rings, Black, Single Foot Frame, Matching Top Style: BPOT

Stock No.	Size (mm)	Ea.	10
202275	7	.68	5.78
202276	8	.75	6.36
202277	10	.85	7.23
202278	12	.91	7.66
202279	16	1.08	9.11
202280	20	1.51	12.87
202281	25	1.91	16.19
202282	30	2.64	22.40

FUJI FOLDING HOOK KEEPER

Available in (01) Black or (20) Chrome Stock No. 225008 3.99

HARD CHROME PLATED FLY ROD TOPS

Stock No.	Size		Ea.	10
	(mm)	64th		
201158	1.4	3.5	1.01	8.54
201159	1.6	4.0	1.01	8.54
201160	1.8	4.5	1.01	8.54
201161	2.0	5.0	1.01	8.54
201162	2.2	5.5	1.01	8.54
201163	2.4	6.0	1.01	8.54

OVERSIZE LOOP FLY ROD TOP

Stock No.	Size		Ea.	10
	(mm)	64th		
201233	1.8	4.5	1.06	8.94
201234	2.0	5.0	1.06	8.94
201235	2.2	5.5	1.06	8.94

FUJI GPST TOPS

Silicon Carbide Ring Gold Frame Ring Size: 8

Stock No.	Size		Ea.	10
	(mm)	64th		
202315	1.6	4.0	8.04	68.34
202316	1.8	4.5	8.04	68.34
202317	2.0	5.0	8.04	68.34
202318	2.2	5.5	8.04	68.34
202319	2.4	6.0	8.04	68.34
202320	2.6	6.5	8.04	68.34
202321	2.8	7.0	8.04	68.34
202322	3.2	8.0	8.04	68.34

FUJI PST TOPS

Silicon Carbide Ring Gunsmoke Frame Ring Size: 8

Stock No.	Size		Ea.	10
	(mm)	64th		
202186	1.8	4.5	6.22	52.84
202187	2.0	5.0	6.22	52.84
202188	2.2	5.5	6.22	52.84
202189	2.4	6.0	6.22	52.84
202190	2.6	6.5	6.22	52.84
202191	2.8	7.0	6.37	54.13
202192	3.2	8.0	6.37	54.13

FUJI GPLT TOPS

Hardloy Ring Gold Frame Ring Size: 8

Stock No.	Size		Ea.	10
	(mm)	64th		
202253	2.0	5.0	2.12	17.95
202254	2.2	5.5	2.12	17.95
202255	2.4	6.0	2.12	17.95
202256	2.6	6.5	2.12	17.95
202257	2.8	7.0	2.21	18.73
202258	3.0	7.5	2.21	18.73
202259	3.2	8.0	2.21	18.73

FUJI BPLT TOPS

Hardloy Ring, Black Frame Ring Size - Tip 5-10: 8 Tip 11-14: 12

Stock No.	Size		Ea.	10
	(mm)	64th		
202230	2.0	5.0	1.42	12.02
202231	2.2	5.5	1.42	12.02
202232	2.4	6.0	1.42	12.02
202233	2.6	6.5	1.46	12.40
202234	2.8	7.0	1.52	12.92
202235	3.2	8.0	1.52	12.92
202236	3.6	9.0	1.80	15.25
202237	4.0	10.0	2.01	17.05
202238	4.5	11.0	2.66	22.61
202239	5.0	12.5	2.74	23.25
202240	5.5	14.0	2.99	25.45

FUJI BPOT TOPS

Aluminum Oxide Ring Black Frame Ring Size: 8

Stock No.	Size		Ea.	10
	(mm)	64th		
202286	2.0	5.0	1.11	9.39
202287	2.2	5.5	1.11	9.39
202288	2.4	6.0	1.11	9.39
202289	2.6	6.5	1.11	9.39
202290	2.8	7.0	1.11	9.39
202291	3.2	8.0	1.11	9.39

FUJI GLVLG GUIDES

Casting/Spinning Guides, Hardloy Ring, "V" Frame, Gold Frame Matching Top - GPLT

Stock No.	Size (mm)		Ea.	10
	(mm)	64th		
202376	8		1.49	13.41
202377	10		1.63	14.72
202378	12		1.89	17.05
202379	16		2.28	20.55
202380	20		2.83	25.51
202381	25		3.48	31.34
202382	30		4.60	41.40

FUJI TOPS WITH SIZE 6 RINGS

BPLT Top. Use with any Guide that specifies BPLT Top.

Stock No.	Size (64th)		Ea.	10
	(mm)	64th		
202401	4.5		1.42	12.02
202402	5.0		1.42	12.02
202403	5.5		1.42	12.02
202404	6.0		1.42	12.02

FUJI BNLG GUIDES

Casting Guide Hardloy Ring Black Frame Matching Top Style: BPLT

Stock No.	Size (mm)	Ea.	10
202326	6	.78	6.63
202327	8	.79	6.72
202328	10	.99	8.40
202329	12	1.25	10.59
202330	16	1.54	13.05
202331	20	2.20	18.73

FUJI BYLG

FUJI GRAPHITE REEL SEATS



Stock No.	Model	Hood Finish	I.D.		Length	Price
			In.	mm.		
230103	DPSM16	Stainless	.625	15.5	4-1/8"	5.39
230104	DPSM16G	Gold	.625	15.5	4-1/8"	7.15
230105	DPSM17	Stainless	.670	17	4-3/4"	5.69
230106	DPSM17G	Gold	.670	17	4-3/4"	7.67
230107	DPSM18	Stainless	.703	18	5"	5.97
230108	DPSM18G	Gold	.703	18	5"	7.81
230109	DPSM20	Stainless	.781	20	5"	6.85
230110	DPSM20G	Gold	.781	20	5"	8.39
230111	DPSM22	Stainless	.859	22	5"	6.85
230112	DPSM24	Stainless	.938	24	5-1/2"	7.43

FUJI GRAPHITE REEL SEATS



Removable Rubber Plug. Can be used as uplock or downlock.

Stock No.	Model	Hood Finish	I.D.		Length	Price
			In.	mm.		
230127	FDPSM16	Stainless	.625	15.5	4-1/8"	6.49

GRAPHITE ARBORS FOR REEL SEATS

All are 1" long.

Stock No.	Model	O.D.		I.D.		Price (ea.)
		In.	mm.	In.	mm.	
230191	A16	.59	15	.24	6	.57
230192	A17	.67	17	.28	7	.57
230193	A18	.70	17.7	.28	7	.57
230194	A20	.76	19.3	.39	10	.68
230195	A22	.83	21	.39	10	.68

CORK FLY ROD GRIPS



234240

234241

Fly Grips have a hood recess

Stock No.	Length	I.D.-In.	Price
234240	7	.30	14.90
234241	7.5	.20	14.90

EVA FOAM GRIPS

EVA foam grips are light weight and extremely durable. They provide a firm, yet comfortable gripping surface. EVA foam grips may be shaped by using coarse sand paper. Grips will fit rod butts up to approximately 25% larger than the I.D. of the grip. All EVA grips are Black Color.

EVA SHAPED BUTT GRIPS & FORE GRIPS



FORE GRIPS					
Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price	
234244	2	.30	1.13	1.29	
234245	2-1/2	.35	1.13	1.29	
234246	3	.35	1.13	1.29	
234247	4-1/2	.30	1.13	1.29	

REAR GRIPS					
Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price	
234251	6	.35	1.13	1.49	
234253	8	.38	1.13	1.89	
234254	10	.45	1.13	1.99	

Use Butt Cap BC10 with 6" Rear Grips.
Use Butt Cap BC20 with 8" & 10" Rear Grips.

FUJI GRAPHITE TRIGGER REEL SEATS



Stock No.	Model	Hood Finish	I.D.		Length	Price
			In.	mm.		
230117	DTPSM16	Stainless	.625	15.5	4-1/8"	5.13
230118	DTPSM18	Stainless	.703	18	5"	5.52

FUJI BLANK EXPOSED TRIGGER REEL SEAT



Stock No.	Inside Dia.		Price
	mm.	In.	
230130	9.5	.374	4.49
230131	10.0	.394	4.49
230132	10.5	.413	4.49
230133	11.0	.433	4.49
230134	11.5	.453	4.49
230135	12.0	.472	4.49
230136	12.5	.492	4.49
230137	13.0	.512	4.49
230138	13.5	.532	4.49
230139	14.0	.551	4.49
230140	14.5	.571	4.49
230141	15.0	.591	4.49

CORK GRIPS



FORE GRIPS

Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price
234258	2	.30	1.13	2.99
234259	2-1/2	.36	1.13	3.19
234260	3	.40	1.13	3.39

REAR GRIPS

Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price
234264	7	.38	1.13	7.99
234265	9	.44	1.13	9.99
234266	11	.50	1.13	11.99

Use BC20 Butt Cap with Cork Reak Grips.

CORK PISTOL GRIP



Stock No.	Length-In.	O.D.-In.	Price
234269	4.75	.38	11.79

BUTT CAPS

Butt Caps are made of durable, flexible rubber/vinyl compound. They have a textured outer surface and ribbed inner wall where needed for firmer bonding. Fits the butt end of rear grips to cushion and protect the rod.



Stock No.	Cup No.	I.D.-In.	Price
234271	BC10	.68	.89
234272	BC20	.75	.89

CORK CASTING HANDLE KITS



Kit includes Butt Grip, Fore Grip, Reel Seat, and Butt Cap.

Stock No.	Overall Length-In.	Butt Grip I.D.-In.	Price
234274	13.75	.38	16.87
234275	16.25	.44	18.94
234276	18.25	.50	20.66

Butt Grip Length: 7", 9" and 11"
Reel Seat I.D. on all Kits is .60"

CORK SPINNING HANDLE KITS



Kit includes Butt Grip, Fore Grip, Reel Seat, and Butt Cap.

Stock No.	Overall Length-In.	Butt Grip I.D.-In.	Price
234279	10.50	.35	13.99
234280	13.50	.38	16.83
234281	17.0	.44	19.21
234282	19.0	.50	22.46

Butt Grip Length: 4.5", 7", 9" and 11"
Reel Seat I.D.: .60, .60, .72, and .72

CORK PISTOL GRIP HANDLE KIT



Kit includes Butt Grip, Fore Grip, and Trigger Reel Seat.

Stock No.	Overall Length-In.	Butt Grip I.D.-In.	Price
234287	11.5	.38	19.73

Reel Seat I.D. is .60"

CORK UL HANDLE KIT



Graphite Slip Rings

Stock No.	Length-In.	I.D.-In.	O.D.-In.	Price
234289	8	.25	1.13	11.52

Cork Only - Stock No. 2342909.93
Ring Only - Stock No. 2342911.99/pr.

BUTT PLUGS




For use with Graphite or Nylon Reel Seats, Black.


Stock No.	Size	Ea.
230196	16	.59

Visit our Web Site
for new Products.
www.barlowstackle.com


RODSMITH NYLON ROD WRAPPING THREAD



RODSMITH METALLIC THREAD



ROD BUILDING, "How We Do It"



This video takes you through the basic steps of rod building how we do it. Roger Seiders, president of Flex Coat, shows you the tools you need, how to find the spine, build the rod handle, wrap and align the guides, and mix and apply the finish. We also show you advanced tools and techniques we use.

DVD Stock No. **225085**17.99

RODSMITH NYLON ROD WRAPPING THREAD

100 yd. spools. Available size "A" and "D".

Colors: **(01-YW)** Yellow, **(02-LO)** Light Orange, **(03-SR)** Sunrise, **(04-PE)** Peach, **(05-OR)** Orange, **(06-RS)** Rose, **(07-SA)** Salmon, **(08-DO)** Dark Orange, **(09-CA)** Candy Apple, **(10-CR)** Cherry, **(11-RR)** Ruby, **(12-PP)** Purple, **(13-DP)** Dark Purple, **(14-FU)** Fuchsia, **(15-SB)** Sky Blue, **(16-TE)** Teal, **(17-LB)** Light Blue, **(18-RB)** Royal Blue, **(19-CB)** Cobalt Blue, **(20-SG)** Spring Green, **(21-GR)** Green, **(22-EV)** Evergreen, **(23-TN)** Tan, **(24-OG)** Old Gold, **(25-CM)** Cinnamon, **(26-BF)** Brown, **(27-MA)** Mocha, **(28-MB)** Midnight Black, **(29-DF)** Dark Fuchsia, **(30-GG)** Gun Metal Gray, **(31-SF)** Sea Foam, **(32-DN)** Dark Navy Blue

SIZE "A" 100 yd. Spool
Stock No. **250106**2.29

SIZE "C" 100 yd. Spool
Stock No. **250108**2.29

RODSMITH METALLIC THREAD

100 yd. spools. Available size "A".

Colors: **(51-CH)** Chrome Silver, **(52-GR)** Green, **(53-GD)** Gold, **(54-GG)** Gun Metal Gray, **(55-DG)** Dark Green, **(56-OG)** Old Gold, **(57-RD)** Red, **(58-AZ)** Azul Light Blue, **(59-OR)** Orange, **(60-MG)** Magenta, **(61-RB)** Royal Blue, **(62-PP)** Purple

SIZE "A" 100 yd. Spool
Stock No. **250107**2.59

FLEX COAT ALL IN ONE ROD BUILDING KIT

Kit contains: 24 ml Rod Builders Glue, 4 Wooden Glue Mixing Sticks, Tip Top Adhesive, Guide Foot Adhesive, 24ml Rod Wrapping Finish, 4 flex Coat Mixing Cups, 4 Non-Porous Finish Stirrers, 4-1/4" Finishing Brushes, 4-1/8" Finishing Brushes, Directions

Stock No. **225107**14.95


WHITE CHINA MARKER



This handy marker is the ideal tool for marking blank spins and guide spacing. Wipes off quickly and easily after use.

Stock No. **225082**1.79

WOOD INSERTS FOR STRUBLE REEL SEATS



Woods Available:

10 Walnut	70 Rose
20 Bubinga	80 Teak
30 Imbuaya	90 Zebra
40 Vermillion	92 Fiddleblack Maple
50 Cocobolo	93 Myrtle
60 Goncaloalves	95 Vera

Insert for Series 3 Reel Seats . . . Stock No. **234207**9.00

Order by Stock No. and Wood No.

Check our Web Site (www.tackle-express.com)

For pictures of Struble Wood inserts.

FLEX COAT CORDLESS FINISHING MOTOR



7 RPM motor with self adjusting chuck for rotating rod while applying and curing rod finish. Powered by 4 AA batteries (not included).

Stock No. **225115**54.99

EXTRA FINE LETTERING PEN



Information such as builder, owner and blank specifications adds value to any fishing rod. This lettering pen provides a striking method of writing on a rod blank. For use with water-based inks and metallic enamel paints.

Stock No. **225083**3.79

STRUBLE D-3 STANDARD DOWNLOCK SKELETON REEL SEAT



Illustration shows complete Reel Seat. Downlock reel seat with "V" threaded body and milled slot. Diamond knurled lock nut and machined slip ring. Supplied with nickel-silver retainer with aluminum end cap and transition ring which fits between the body and the cork handle. Available in polished aluminum, clear aluminum, or black anodized aluminum. Order wood insert separately from Server #3 inserts.

D-3 Polished Aluminum . . . Stock No. **234203**10.95

D-3 Black Aluminum . . . Stock No. **234204**14.95

STRUBLE U-3 STANDARD UPLOCK SKELETON REEL SEAT



Illustration shows complete Reel Seat. Uplock Reel Seat with "V" threaded body with milled slot. Diamond knurled lock nut and machined slip ring. Supplied with nickel-silver retainer, separate butt plug, and precision cut cork ring to fit over retainer, available in polished aluminum, clear aluminum or black anodized aluminum. Order wood insert separately from series #3 inserts.


U-3 Polished Aluminum . . . Stock No. **234198**10.95

U-3 Black Aluminum . . . Stock No. **234199**14.95

Fighting Butt for U-3 . . . Stock No. **234200**15.95

Extra Cork Ring for Hood . . . Stock No. **234189**2.25

FLEX COAT PRODUCTS



The flex coat finishing system, with 2 different formulas, offers you the right choice for your particular needs . . . From heavy big game tackle to ultra light fly rods. The result . . . the finest in a quality professional finish!

- Original **HIGH BUILD** Formula for finishing with just one coat.
- New **LITE** formula for an ultra-thin finish in multiple coats.


ORIGINAL HIGH BUILD FORMULA

- Loaded Syringes (24cc), Brushes, Cups, Sticks
Stock No. **225054**8.87
- 2 oz. Flex Coat, Syringes, Brushes, Cups, Sticks
Stock No. **225021**11.86
- 2 oz. Flex Coat, Syringes
Stock No. **225020**8.87
- 4 oz. Flex Coat . . . Stock No. **225055**11.86
- 8 oz. Flex Coat . . . Stock No. **225033**17.25
- 32 oz. Flex Coat . . . Stock No. **225056**38.16

FLEX COAT LITE FORMULA

- Loaded Syringes (24cc), Brushes, Cups, Sticks
Stock No. **225060**9.45
- 2 oz. Flex Coat, Syringes
Stock No. **225061**9.45
- 8 oz. Flex Coat . . . Stock No. **225062**18.75
- 32 oz. Flex Coat . . . Stock No. **225063**42.59

FLEX COAT ROD BUILDERS EPOXY GLUE



This is a professional, high strength, water proof clear bonding material. Perfect for gluing reel seats, ferrules, gimbles, handles, grips, roller tip tops, cork rings, butt caps, and general repair. Instructions included.

- 4 oz. Epoxy Glue . . . Stock No. **225034**10.40
- 8 oz. Epoxy Glue . . . Stock No. **225076**16.63
- 32 oz. Epoxy Glue . . . Stock No. **225077**45.46


FLEX COAT THERMAL PLASTIC TIP TOP ADHESIVE



This adhesive is ideal for installing the tip tops on blanks.

Stock No. **225065**2.49

FLEX COAT GUIDE FOOT ADHESIVE



Adhesive — For temporary attachment of guides before wrapping. Low melting point, fast, easy to use.

Stock No. **225066**2.49

FLEX COAT EPOXY BRUSH CLEANER



Safer and milder than low flash point solvents for cleaning liquid Flex Coat from brushes. 4 oz. bottle.

Stock No. **225028**4.49

FLEX COAT COLOR PRESERVER AND THREAD SEALER



Strong • Non Yellowing • Great Color Retention • Great Penetration • Easy To Use • Water Clean Up • No Strong Order * Non Toxic

Apply 2 or 3 coats on regular thread. Apply 1 coat on N.C.P. thread if sealer is desired.

- 1 oz. Color Preserver . . . Stock No. **225022**2.58
- 4 oz. Color Preserver . . . Stock No. **225023**6.25

FLEX COAT 5-MINUTE EPOXY GLUE



A clear, high strength formula for rod builders, fly tiers and lure makers. Bonds reel seats, grips, tip tops, etc. Mixture has a pot life of about 5 minutes and dries to touch in 10-15 minutes.

- 4 oz. 5 Minute Epoxy Glue
Stock No. **225043**12.24

FLEX COAT UTILITY KNIFE



Indispensable for trimming thread tie-offs. Useful in removing damaged guides in rod repair. Comes with 6 surgically sharp steel blades, and safety cover. Deeply knurled grip for precision and safety.

- Knife with 6 blades . . . Stock No. **225069**5.25
- Extra Blades (5) . . . Stock No. **225070**2.69

FLEX COAT STEP BY STEP ROD BUILDING



This is a 50 page booklet containing over 100 clear illustrations, charts and size guides plus step-by-step instructions on all phases of rod constructions. Great for both beginners and experienced rod builders.

Stock No. **225079**4.95

NON SHEDDING BRUSHES



Very low cost quality rod finishing brushes — great for applying Flex Coat Rod Finish and Color Preserver.

Stock No. **225024**3.75/10 pk.

Pack 85 Brushes
Stock No. **225071**21.95

COLOR CODED SYRINGES



Reusable 3cc syringes guarantee accurate measurement of Flex Coat 50/50 mix.

Stock No. **225027**1.85

DECORATIVE ROD WRAPPING GUIDE



A must for all rod builders whether beginning or advanced. This is an easy to follow step by step instruction with complete diagrams showing how to wrap a variety of designs.

- | | |
|---------------|-------------|
| Book I | Book II |
| Fish | Tuna |
| Boxes | Cross |
| American Flag | Maze |
| Diamonds | Thunderbird |

- Book I . . . Stock No. **225036**4.95
- Book II . . . Stock No. **225037**4.95

WARNING: Some products on this page may contain lead, a chemical known to the State of California to cause cancer and birth defects and other reproductive harm.


ALCOHOL BURNER



Best heat source for tiptop installation and repair. Leaves both hands free to work while handling rod, tiptop, and adhesive. Fueled by clean burning, readily available denatured alcohol.

Stock No. **225067**14.99

MIXING CUPS & STICKS



Clear 1 oz. plastic cups and mixing sticks make a handy accessory to Flex Coat Finish and Epoxy Glue.

Pack 10 cups.
Stock No. **225016**1.57


Pack 100 Cups
Stock No. **225073**2.97

1/2" BRUSHES



Economy Florida style brushes for applying Flex Coat Rod Finish and Color Preserver to large rods.


Stock No. **225081**3.79/4 pk.



FLEX COAT HAND ROD WRAPPER

This extendable rod wrapper can be used for all lengths of rods. Has controlled thread tension and adjustable thread feed.

HW1 . . . Stock No. **225030**64.95



FLEX COAT ECONOMY HAND ROD WRAPPER

Designed to do precision wrappings. Has controlled thread tension and adjustable V upright.

EW1 . . . Stock No. **225045**39.95



High quality, U.S.-built gear motors for rotating rod while applying and curing FLEX COAT finish. Both models feature self-adjusting chuck.

- 6 rpm model for applying finish to rods with underwraps
- 18 rpm is good for general use

FLEX COAT FINISHING MOTORS

GM6 (6 rpm)
Stock No. **225031**72.95

GM18 (18rpm)
Stock No. **225053**72.95